


FIG. 1.



			28
ADDRESS	DATABASI	E ENTRIES	<b>Z</b> 0
N-1	SECURITY VALUE A	HASH VALUE N-1	
N	SECURITY VALUE B	HASH VALUE N	
N+1	SECURITY VALUE C	HASH VALUE N+1	
N+2	EMPTY	EMPTY	
N+3	EMPTY	EMPTY	
N+4	EMPTY	EMPTY	


## <u>FIG. 3A.</u>


ADDRESS	DATABASE ENTRIES	
N-1	SECURITY VALUE A	HASH VALUE N-1
N	SECURITY VALUE B	HASH VALUE N
N+1	SECURITY VALUE D	HASH VALUE N
N+2	SECURITY VALUE C	HASH VALUE N+1
N+3	EMPTY	EMPTY
N+4	EMPTY	EMPTY


## <u>FIG. 3B.</u>


ADDRESS	DATABASE ENTRIES		
N-1	SECURITY VALUE A	HASH VALUE N-1	×
N	SECURITY VALUE D	HASH VALUE N	
N+1	SECURITY VALUE C	HASH VALUE N+1	
N+2	EMPTY	EMPTY	
N+3	EMPTY	EMPTY	
N+4	EMPTY	EMPTY	

<u>FIG. 3C.</u>












FIG. 8.